


SUSPENSIONS



Introduction to **Type 01** Single Cable

- Simple on straight runs
- Cost efficient
- Available in galvanized and stainless steel

Click or Scan






Click or Scan




Type 01 cable suspension is used to suspend classic as well as All-In-One FabricAir ducts. The cable is a PVC coated stainless steel or galvanized cable making it an excellent choice for corrosive environments.

Example of duct system configuration





Elbows

We provide custom elbows in any degree and size.






Shape Retention

Our ducts come with your selected Shape Retention solution: All-in-One or Internal 360° Hoops. The 360° hoops are hidden inside the duct whereas All-in-One 180° hoops are sewn on the exterior. Shape retaining hardware is removable for laundering.



Reductions

Concentric and eccentric reducers are available. Top-aligned are the standard for Type 01 Cable Suspension.




Branches

Concentric and eccentric branch take-offs are available. Top-aligned are the standard for Type 01 Cable Suspension.

Options available for **Type 01**

Adjustable Cable Drop for Type 01

Type 01, uses a single cable that runs along the top of the duct at the 12 o'clock position and anchors to the building structure at either end. Adjustable Cable Drops are hung from the building structure along the length of the system and support the cable to prevent sagging.



Note: There are two types of Adjustable Cables Locks for Type 01. Customer will use only one of them, based on project.